



```

<!--[if gte mso 9]><xml> <o:OfficeDocumentSettings> <o:AllowPNG/>
</o:OfficeDocumentSettings> </xml><![endif]--> <!--[if gte mso 9]>
<xml> <w:WordDocument> <w:View>Normal</w:View> <w:Zoom>0</w:Zoom> <w:TrackMoves/> <w:TrackMoves/>
<w:PunctuationKerning/> <w:ValidateAgainstSchemas/> <w:SaveIfXMLInvalid>false</w:SaveIfXMLInvalid>
<w:IgnoreMixedContent>false</w:IgnoreMixedContent>
<w:AlwaysShowPlaceholderText>false</w:AlwaysShowPlaceholderText>
<w:DoNotPromoteQF/> <w:LidThemeOther>EN-US</w:LidThemeOther> <w:LidThemeAsian>X-NONE</w:LidThemeAsian> <w:LidThemeComplexScript>X-NONE</w:LidThemeComplexScript> <w:Compatibility>
<w:BreakWrappedTables/> <w:SnapToGridInCell/> <w:WrapTextWithPunct/> <w:UseA11YPracticesInTableBreakRules/>
<w:DontGrowAutofit/> <w:SplitPgBreakAndParaMark/> <w:EnableOpenTypeKerning/> <w:DontFlipMirrorIndents/>
<w:OverrideTableStyleHps/> </w:Compatibility> <m:mathPr <span style="color: rgb(38, 40, 42); font-family: &quot;Helvetica Neue&quot;, Helvetica, Arial, sans-serif; font-size: 15px; background-color: rgb(255, 255, 255);">The language of love is played here, loud and clear.</span>
<m:mathFont m:val="Cambria Math"/> <m:brkBin m:val="before"/>
<m:brkBinSub m:val="&#45;-"/> <m:smallFrac m:val="off"/>
<m:dispDef/> <m:IMargin m:val="0"/> <m:rMargin m:val="0"/> <m:deftjc
m:val="centerGroup"/> <m:wrapIndent m:val="1440"/> <m:intLim
m:val="subSup"/> <m:naryLim m:val="undOvr"/> </m:mathPr>
</w:WordDocument> </xml><![endif]--> <!--[if gte mso 9]> <xml>
<w:LatentStyles DefLockedState="false" DefUnhideWhenUsed="false"
DefSemiHidden="false" DefQFormat="false" DefPriority="9"
LatentStyleCount="375"> <w:LsdException Locked="false" Priority="0"
QFormat="true" Name="Normal"/> <w:LsdException Locked="false"
Priority="9" QFormat="true" Name="heading 1"/> <w:LsdException
Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="heading 2"/>
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="heading 3"/>
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="heading 4"/>
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="heading 5"/>
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="heading 6"/>
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="heading 7"/>
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="heading 8"/>
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="index 1"/> <w:LsdException
Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index 2"/> <w:LsdException Locked="false" SemiHidden="true"
UnhideWhenUsed="true" Name="index 3"/> <w:LsdException
Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index 4"/> <w:LsdException Locked="false" SemiHidden="true"
UnhideWhenUsed="true" Name="index 5"/> <w:LsdException
Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index 6"/> <w:LsdException Locked="false" SemiHidden="true"
UnhideWhenUsed="true" Name="index 7"/> </w:LsdException

```


Name="index 8"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="index 9"/> <w:LsdException Locked="false" Priority="39" SemiHidden="true" UnhideWhenUsed="true" Name="toc 1"/> <w:LsdException Locked="false" Priority="39" SemiHidden="true" UnhideWhenUsed="true" Name="toc 2"/> <w:LsdException Locked="false" Priority="39" SemiHidden="true" UnhideWhenUsed="true" Name="toc 3"/> <w:LsdException Locked="false" Priority="39" SemiHidden="true" UnhideWhenUsed="true" Name="toc 4"/> <w:LsdException Locked="false" Priority="39" SemiHidden="true" UnhideWhenUsed="true" Name="toc 5"/> <w:LsdException Locked="false" Priority="39" SemiHidden="true" UnhideWhenUsed="true" Name="toc 6"/> <w:LsdException Locked="false" Priority="39" SemiHidden="true" UnhideWhenUsed="true" Name="toc 7"/> <w:LsdException Locked="false" Priority="39" SemiHidden="true" UnhideWhenUsed="true" Name="toc 8"/> <w:LsdException Locked="false" Priority="39" SemiHidden="true" UnhideWhenUsed="true" Name="toc 9"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Normal Indent"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="footnote text"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="annotation text"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="header"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="footer"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="index heading"/> <w:LsdException Locked="false" Priority="35" SemiHidden="true" UnhideWhenUsed="true" QFormat="true" Name="caption"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="table of figures"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="envelope address"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="envelope return"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="footnote reference"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="annotation reference"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="line number"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="page number"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="endnote reference"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="endnote text"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="table of authorities"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="macro"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="toa heading"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Bullet"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Number"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List 2"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List 3"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List 4"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List 5"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Bullet 2"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Bullet 3"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Bullet 4"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Bullet 5"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Number 2"/>

<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Number 3"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Number 4"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Number 5"/> <w:LsdException Locked="false" Priority="10" QFormat="true" Name="Title"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Closing"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Signature"/> <w:LsdException Locked="false" Priority="1" SemiHidden="true" UnhideWhenUsed="true" Name="Default Paragraph Font"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text Indent"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Continue"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Continue 2"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Continue 3"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Continue 4"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Continue 5"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Message Header"/> <w:LsdException Locked="false" Priority="11" QFormat="true" Name="Subtitle"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Salutation"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Date"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text First Indent"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text First Indent 2"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Note Heading"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text 2"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text 3"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text Indent 2"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text Indent 3"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Block Text"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Hyperlink"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="FollowedHyperlink"/> <w:LsdException Locked="false" Priority="22" QFormat="true" Name="Strong"/> <w:LsdException Locked="false" Priority="20" QFormat="true" Name="Emphasis"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Document Map"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Plain Text"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="E-mail Signature"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Top of Form"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Bottom of Form"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Normal (Web)/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Acronym"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Address"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Cite"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Code"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Definition"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Keyboard"/> <w:LsdException

UnhideWhenUsed="true" Name="Table 3D effects 2"/>
<w:LsdException Locked="false" SemiHidden="true"
UnhideWhenUsed="true" Name="Table 3D effects 3"/>
<w:LsdException Locked="false" SemiHidden="true"
UnhideWhenUsed="true" Name="Table Contemporary"/>
<w:LsdException Locked="false" SemiHidden="true"
UnhideWhenUsed="true" Name="Table Elegant"/> <w:LsdException
Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Professional"/> <w:LsdException Locked="false"
SemiHidden="true" UnhideWhenUsed="true" Name="Table Subtle 1"/>
<w:LsdException Locked="false" SemiHidden="true"
UnhideWhenUsed="true" Name="Table Subtle 2"/> <w:LsdException
Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Web 1"/> <w:LsdException Locked="false"
SemiHidden="true" UnhideWhenUsed="true" Name="Table Web 2"/>
<w:LsdException Locked="false" SemiHidden="true"
UnhideWhenUsed="true" Name="Table Web 3"/> <w:LsdException
Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Balloon Text"/> <w:LsdException Locked="false" Priority="39"
Name="Table Grid"/> <w:LsdException Locked="false"
SemiHidden="true" UnhideWhenUsed="true" Name="Table Theme"/>
<w:LsdException Locked="false" SemiHidden="true"
Name="Placeholder Text"/> <w:LsdException Locked="false"
Priority="1" QFormat="true" Name="No Spacing"/> <w:LsdException
Locked="false" Priority="60" Name="Light Shading"/> <w:LsdException
Locked="false" Priority="61" Name="Light List"/> <w:LsdException
Locked="false" Priority="62" Name="Light Grid"/> <w:LsdException
Locked="false" Priority="63" Name="Medium Shading 1"/>
<w:LsdException Locked="false" Priority="64" Name="Medium Shading
2"/> <w:LsdException Locked="false" Priority="65" Name="Medium List
1"/> <w:LsdException Locked="false" Priority="66" Name="Medium List
2"/> <w:LsdException Locked="false" Priority="67" Name="Medium
Grid 1"/> <w:LsdException Locked="false" Priority="68"
Name="Medium Grid 2"/> <w:LsdException Locked="false"
Priority="69" Name="Medium Grid 3"/> <w:LsdException
Locked="false" Priority="70" Name="Dark List"/> <w:LsdException
Locked="false" Priority="71" Name="Colorful Shading"/>
<w:LsdException Locked="false" Priority="72" Name="Colorful List"/>
<w:LsdException Locked="false" Priority="73" Name="Colorful Grid"/>
<w:LsdException Locked="false" Priority="60" Name="Light Shading
Accent 1"/> <w:LsdException Locked="false" Priority="61" Name="Light
List Accent 1"/> <w:LsdException Locked="false" Priority="62"
Name="Light Grid Accent 1"/> <w:LsdException Locked="false"
Priority="63" Name="Medium Shading 1 Accent 1"/> <w:LsdException
Locked="false" Priority="64" Name="Medium Shading 2 Accent 1"/>
<w:LsdException Locked="false" Priority="65" Name="Medium List 1
Accent 1"/> <w:LsdException Locked="false" SemiHidden="true"
Name="Revision"/> <w:LsdException Locked="false" Priority="34"
QFormat="true" Name="List Paragraph"/> <w:LsdException
Locked="false" Priority="29" QFormat="true" Name="Quote"/>
<w:LsdException Locked="false" Priority="30" QFormat="true"
Name="Intense Quote"/> <w:LsdException Locked="false" Priority="66"
Name="Medium List 2 Accent 1"/> <w:LsdException Locked="false"
Priority="67" Name="Medium Grid 1 Accent 1"/> <w:LsdException
Locked="false" Priority="68" Name="Medium Grid 2 Accent 1"/>
<w:LsdException Locked="false" Priority="69" Name="Medium Grid 3
Accent 1"/> <w:LsdException Locked="false" Priority="70" Name="Dark
List Accent 1"/> <w:LsdException Locked="false" Priority="71"
Name="Colorful Shading Accent 1"/> <w:LsdException Locked="false"
Priority="72" Name="Colorful List Accent 1"/> <w:LsdException
Locked="false" Priority="73" Name="Colorful Grid Accent 1"/>
<w:LsdException Locked="false" Priority="60" Name="Light Shading
Accent 2"/> <w:LsdException Locked="false" Priority="61" Name="Light
List Accent 2"/> <w:LsdException Locked="false" Priority="62"
Name="Light Grid Accent 2"/> <w:LsdException Locked="false"
Priority="63" Name="Medium Shading 1 Accent 2"/> <w:LsdException
Locked="false" Priority="64" Name="Medium Shading 2 Accent 2"/>
<w:LsdException Locked="false" Priority="65" Name="Medium List 1
Accent 2"/> <w:LsdException Locked="false" Priority="66"
Name="Medium List 2 Accent 2"/> <w:LsdException Locked="false"
Priority="67" Name="Medium Grid 1 Accent 2"/> <w:LsdException

Name="Mention"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Smart Hyperlink"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Hashtag"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Unresolved Mention"/> </w:LatentStyles> </xml><![endif]-->

<style> <!-- /* Font Definitions */ @font-face {font-family:"Cambria Math"; panose-1:2 4 5 3 5 4 6 3 2 4; mso-font-charset:0; mso-generic-font-family:roman; mso-font-pitch:variable; mso-font-signature:-536870145 1107305727 0 0 415 0;} @font-face {font-family:Calibri; panose-1:2 15 5 2 2 2 4 3 2 4; mso-font-charset:0; mso-generic-font-family:swiss; mso-font-pitch:variable; mso-font-signature:-536859905 -1073697537 9 0 511 0;} /* Style Definitions */ p.MsoNormal, li.MsoNormal, div.MsoNormal {mso-style-unhide:no; mso-style-qformat:yes; mso-style-parent:""; margin:0in; margin-bottom:.0001pt; mso-pagination:widow-orphan; font-size:12.0pt; font-family:"Calibri",sans-serif; mso-ascii-font-family:Calibri; mso-ascii-theme-font:minor-latin; mso-fareast-font-family:Calibri; mso-fareast-theme-font:minor-latin; mso-hansi-font-family:Calibri; mso-hansi-theme-font:minor-latin; mso-bidi-font-family:"Times New Roman"; mso-bidi-theme-font:minor-bidi;} .MsoChpDefault {mso-style-type:export-only; mso-default-props:yes; font-family:"Calibri",sans-serif; mso-ascii-font-family:Calibri; mso-ascii-theme-font:minor-latin; mso-fareast-font-family:Calibri; mso-fareast-theme-font:minor-latin; mso-hansi-font-family:Calibri; mso-hansi-theme-font:minor-latin; mso-bidi-font-family:"Times New Roman"; mso-bidi-theme-font:minor-bidi;} @page WordSection1 {size:8.5in 11.0in; margin:1.0in 1.0in 1.0in 1.0in; mso-header-margin:.5in; mso-footer-margin:.5in; mso-paper-source:0;} div.WordSection1 {page:WordSection1;} --> </style> <!--[if gte mso 10]>

<style> /* Style Definitions */ table.MsoNormalTable {mso-style-name:"Table Normal"; mso-tstyle-rowband-size:0; mso-tstyle-colband-size:0; mso-style-noshow:yes; mso-style-priority:99; mso-style-parent:""; mso-padding-alt:0in 5.4pt 0in 5.4pt; mso-para-margin:0in; mso-para-margin-bottom:.0001pt; mso-pagination:widow-orphan; font-size:12.0pt; font-family:"Calibri",sans-serif; mso-ascii-font-family:Calibri; mso-ascii-theme-font:minor-latin; mso-hansi-font-family:Calibri; mso-hansi-theme-font:minor-latin; mso-bidi-font-family:"Times New Roman"; mso-bidi-theme-font:minor-bidi;} </style> <![endif]--> <!--

StartFragment--> <p class="MsoNormal">A pile of words<o:p></o:p></p>

</p> <p class="MsoNormal">Jackets of hordes<o:p></o:p></p> <p class="MsoNormal">Take a quick look<o:p></o:p></p> <p class="MsoNormal">In the place of the book.<o:p></o:p></p> <!--

EndFragment-->